

Haier



2016 Product Catalogue



With Haier's energy-efficient line of feature-packed LED TVs, you're sure to enjoy longer quality time with family and friends.

Make every moment count – transform games, music and movies into the next level of entertainment!



4K Ultra HD TV



B7000U Series

LE55B7000U (55") 139.7cm

- Ultra HD 4K
- USB Clone
- USB Movie
- Ultra Slim Design
- Special Chipset for Ultra HD Engine
- 3840 x 2160 Resolution
- 1080P to Ultra HD Upscaling
- AVL (Auto Volume Leveler)
- DNR (Digital Noise Reduction)
- Eco-friendly and Energy Saving



U5000A Series

LE49U5000A (49") 124.46cm

LE43U5000A (43") 109.226cm

- Google Play Store
- Unlimited Apps
- Smart Share
- USB Movie
- HDMI CEC
- SMART TV Powered by Android
- Quadcore CPU + 8GB Flash
- Android Kitkat 4.4 OS
- 2 USB for Cloning
- Chrome, Google+, Gmail



Auto record your favorite TV Programs

K5000 Series

LE55K5000 (55") 139.7cm


LE50K5000 (50") 127.7cm

LE40K5000 (40") 101.6cm

LE32K5000 (32") 81.28cm

- YouTube TV
- App Store
- Smart Share
- USB Movie
- 2 USB for Cloning
- YouTube shortcut key on remote
- Easy-to-use Browser
- DNR (Digital Noise Reduction)
- Digital TV-ISDB-T
- Wireless Network Support

LED TVs



B8000 Series

LE55B8000 (55") 139.7cm

LE42B8000 (42") 106.68cm

LE40B8000 (40") 101.6cm

- Slim Bezel
- LED Back-lit
- USB Movie
- Multi HDMI
- Hotel mode
- PC In ; AV In ; DVD In
- Auto Volume Leveler
- Sound Chamber Invisible Speakers
- Eco-friendly & Energy Saving



B7000 Series

LE50B7000 (50") 127.7cm

LE43B7000 (43") 109.2cm

LE40B7000 (40") 101.6cm

LE39B7100 (39") 99.06cm

- Slim Bezel
- LED Back-lit
- USB Movie
- 2 HDMI
- Hotel mode
- PC In ; AV In ; DVD In
- Auto Volume Leveler
- Elegant Stand
- 2 USB with File Transfer
- Eco-friendly & Energy Saving



M700

LE48M700 (48") 121.92cm

- Slim Bezel
- USB Movie
- Auto Volume Leveler
- Simulated Surround
- LED Back-lit
- 2 HDMI
- Hotel Mode
- PC In ; AV In ; DVD In ; AV Out



F6500

LE32F6500 (32") 81.28cm

- 32" LED TV
- IPS Panel
- HDMI
- Boomerang Stand
- Stylish European Design



Borne of a brotherhood between Eastern ideals and Western pioneering technology since 1984, you can be sure that there is a Haier Refrigerator designed for every family.



French Door Refrigerator



BCD-402 14 cu.ft

- I-ABT uses unique tourmaline stone to release an ion to kill 99.99% bacteria
- Hidden handle
- Bottom freezer with two drawers
- Variable temperature compartment
- LED with cold light
- DC Inverter Compressor

Side by Side Refrigerator



BCD-521 18 cu.ft

- Thin depth design
- Hidden handle
- Separate temperature control for freezer and fridge compartment
- LED with cold light
- DC Inverter Compressor

Bottom Freezer Inverter



HRF-IP345B 11.4 cu.ft HRF-IP285B 9.3 cu.ft

- DC inverter
- Led light
- Twisted ice tray
- Glass shelves
- Ultra plasma
- Nano Fresh Ag+
- Vitamin Pro 5+

Top Freezer Inverter



HRF-315FI 11.1 cu.ft HRF-265FI 9.3 cu.ft HRF-245FI 8.5 cu.ft

- Dynamic Inverter Compressor
- Smell & Germ buster
- Tower LED light
- Vitamin fresh
- Glass shelves
- Smart PCB
- Premium VCM surface

Bottom Freezer Direct Cool



HRF-BD290H 8.4 cu.ft HRF-BD250H 6.6 cu.ft

- INOX finish
- Direct Cool
- Large bottom freezer capacity
- R600a Refrigerant
- Stylish interior LED light
- Spill-free & toughened glass shelves
- Crystal freezer drawers
- Crystal crisper drawers with glass drawers
- Crystal door balconies
- Reversible Door

Top Freezer Direct Cool



HRF-D450H 11 cu.ft HRF-D340H 9 cu.ft HRF-D230H 6.6 cu.ft HRF-D200H 6.0 cu.ft

- INOX finish
- Direct Cool
- R600a Refrigerant
- Stylish interior LED light
- Spill-free & toughened glass shelves
- Crystal freezer drawers
- Crystal crisper drawers with glass drawers
- Crystal door balconies
- Reversible Door



Two Door Direct Cool



SR-D49T 12 cu.ft
SR-D39T 10 cu.ft
SR-D29T 7 cu.ft

- Table top
- Super saver
- Manual defrost
- 100% CFC Free
- Electro Galvanized Steel

Single Door Direct Cool



SR-S701TW 7 cu.ft
SR-S63TW 6 cu.ft

- Table Top
- 100% CFC Free
- Semi-Auto Defrost
- Built-in Stand
- Interior Light
- High EEF

SR-S701THW 7 cu.ft
SR-S63THW 6 cu.ft

- Table Top
- 100% CFC Free
- Semi-Auto Defrost
- Interior Light
- High EEF

Chest Freezers



AQF-100 3.7 cu.ft (105L)

- Speed Cooling
- Dual Control Temperature
- Changeable Freezer/Cooler
- Low Voltage Running
- Eco Protection
- R134a Refrigerant



AQF-160 5.7 cu.ft (161L)

- Speed Cooling
- Dual Control Temperature
- Changeable Freezer/Cooler
- Low Voltage Running
- Eco Protection
- R134a Refrigerant



AQF-200 7.1 cu.ft (202L)

- Speed Cooling
- Dual Control Temperature
- Changeable Freezer/Cooler
- Low Voltage Running
- Eco Protection
- R134a Refrigerant

AQUA Series



SR-S219AQP 7 cu.ft
SR-S189AQP 6 cu.ft

- Direct cool
- Semi-auto defrost
- Top table
- Chiller Tray
- Wire shelf
- Vegetable crisper
- Handle



SR-S179AQP 5 cu.ft

- Direct cool
- Semi-auto defrost
- Top table
- Chiller Tray
- Wire shelf
- Vegetable crisper

Slim Beauty Series



SR-S208SBP-H(SS) 7 cu.ft
SR-188SBP-H(SS) 6 cu.ft
SR-188SBP(SS) 6 cu.ft

- Table top
- Big freezer
- Semi-auto defrost
- Print coated materials
- Low voltage running



- SR-157SBP-H(SS) 5 cu.ft
- SR-157SBP(SS) 5 cu.ft



AQF-310 10.9 cu.ft (308L)

- Speed Cooling
- Dual Control Temperature
- Changeable Freezer/Cooler
- Low Voltage Running
- Eco Protection
- R134a Refrigerant



AQF-420 14.8 cu.ft (420L)

- Speed Cooling
- Dual Control Temperature
- Changeable Freezer/Cooler
- Low Voltage Running
- Eco Protection
- R134a Refrigerant

Personal Refrigerators



HRF-D110H 3.1 cu. ft.

- Table top
- Door Panel
- 100% CFC Free
- Flat Back Design
- Recessed Handle
- Painted Cabinet and VCM Door Panel



SR-8K(S) 2.7 cu. ft.

- Table top
- Semi-auto defrost
- 100% CFC Free
- Flat back design
- Interior Light
- Print Coating Metal



HR-70H 1.6 cu. ft.

- Table top
- Door Panel
- 100% CFC Free
- Flat Back Design
- Recessed Handle
- Painted Cabinet and VCM Door Panel



SF-C11KP 4 cu.ft (108L)

- Quick Freezing
- Temperature Control Thermostat



SF-C24KP 8.4 cu.ft (238L)
SF-C21KP 7.3 cu.ft (208L)

- Quick Freezing
- Temperature Control Thermostat



SF-C30KP 10.5 cu.ft (298L)

- Quick Freezing
- Temperature Control Thermostat





Go green while keeping things cool and comfortable with Haier's energy-saving air-conditioning solutions.

With the largest R&D and manufacturing base in the industry, Haier offers you the widest and most complete range of products to cool your personal and commercial needs.

2 EXTENDED **5**
YEAR WARRANTY
PARTS & LABOR
YEAR WARRANTY
COMPRESSION

Window-Type Air-conditioners

Haier

Manual

Electronic



Model		HW-05LMA13	HW-07LM13	HW-09LM13	HW-12LM13	HW-09LN13	HW-12LN13	HW-18LN13
Power Supply (Ph/V/Hz)		1/220/60						
Cooling Capacity	kJ/Hr	5450	8050	9700	13200	9700	13200	18150
	HP	0.5	1.75	1	1.5	1	1.5	2
EER		11.4	11.0	11.3	10.6	11.3	10.6	10.0
Cooling Power Input (W)		480	730	860	1240	860	1240	1810
Cooling Running Current (A)		2.2	3.2	4.0	6.0	4.0	6.0	8.6
Max. Power Input (W)		570	900	1200	1570	1200	1570	2260
Max. Running Current (A)		2.5	4.0	5.2	7.2	5.2	7.2	10.2
Air Flow Volume (m ³ /h)		210	340	340	520	340	520	730
Moisture Removal (L/h)		0.6	0.8	1.0	1.2	1.0	1.2	2.0
Noise Level – Indoor [dB(A)]		55/52	54/52	54/52	56/52	54/52	56/52	60/59/58
Noise Level – Outdoor [dB(A)]		56	56	56	58	56	58	68
Refrigerant Type		R410A	R22	R22	R22	R22	R22	R22
Refrigerant Charge (kg)		0.26	0.27	0.47	0.52	0.42	0.52	0.55
Fan Speed (r/min)		1080/930	1030/940	1030/940	990/950	1030/940	990/950	1050/970/900
Features								
Chassis Type		Fixed	Slide-Out	Slide-Out	Slide-Out	Slide-Out	Slide-Out	Slide-Out
Variable Air Discharge		Top	Side	Side	Side	Side	Side	Side
Fan Speeds		2	2	2	2	2	2	3
Air Discharge		2-Way	4-Way	4-Way	4-Way	4-Way	4-Way	4-Way
Min. Window width (mm)		440	485	485	615	485	615	675
Min. Window height (mm)		334	370	370	395	370	395	440
Net Dimension (mm) WxDxH		425x324x319	471x531x356	471x531x356	600x560x382	471x531x356	600x560x382	660x691x428
Package Dimension (mm) WxDxH		476x384x381	568x565x465	568x565x465	568x565x465	568x565x465	698x565x465	740x781x525
Net Weight (kg)		17.1	26.1	29.5	35.7	29.5	35.7	46.8
Gross Weight (kg)		18.2	28.5	31.9	38.4	31.9	38.4	52.1

Notes: Design, specifications, models and images are subject to change without prior notice for product improvement.



Split-Type Air-conditioners

Haier Grace Series

Intelligent Air
With Intelligent Air function, the air will blow upward without blowing directly at human body. This function enables you to keep away from getting air-conditioner related symptoms.



Energy Savings up to 60%

eco-friendly refrigerant **R410A**

180° sine wave **DC inverter**

LED Display

Self-cleaning Evaporator

Bacteria-killing Medium

Anti-dust

Model		HSU-09LEK13/R2(DB)		HSU-12LEK13/R2(DB)		HSU-18LEK13/R2(DB)		HSU-24LEK13/R2(DB)	
Capacity	kJ/h	9740		12915		18450		25830	
	HP	1.0		1.5		2.0		2.5	
Power Input (W)		755		1030		1430		1995	
EER (kJ/Wh)		12.9		12.5		12.9		12.9	
Running Content (A)		3.6		4.9		6.68		9.3	
Power Supply (Ph/V/Hz)		1/220/60							
Airflow Volume (m³/h)		500		640		900		1100	
Moisture Removal(10 ⁻³ m³/h)		1.2		1.6		2.0		3.0	
Refrigerant		R410A							
Refrigerant Lines									
Liquid (O.D.)	inches	1/4		1/4		1/4		3/8	
Suction (O.D.)	inches	3/8		3/8		1/2		5/8	
Factory Refrigerant Charge	Oz	33.5		35.5		42.5		52.0	
Maximum Line Length	m	15		15		15		25	
Maximum Height Difference	m	10		10		10		15	
Indoor									
Net Dimension (WxDxH)	mm	795x187x265		938x187x265		1046x237x299		1146x261x320	
Package Dimension (WxDxH)	mm	871x304x360		1016x304x360		1126x344x388		1233x364x388	
Net Weight	kg	8.8		10.5		13		16.5	
Gross Weight	kg	11.3		12.5		16.5		19.5	
Noise Hi/Mid/Lo	dB(A)	39/36/30		42/39/34		47/43/39		47/44/41	
Outdoor									
Net Dimension (WxDxH)	mm	780x245x540		780x245x540		810x288x688		860x308x730	
Package Dimension (WxDxH)	mm	930x340x614		930x340x614		949x406x745		995x420x815	
Net Weight	kg	28.5		30		40		45.5	
Gross Weight	kg	32		32.5		43		49.5	
Noise Hi/Mid/Lo	dB(A)	53		53		54		56	

Notes: Design, specifications, models and images are subject to change without prior notice for product improvement.




Window-Type Air-conditioners

Manual



Electronic



SANYO

Type		Manual Type Panel		Touch Panel		
Model No.		SA-568P	SA-76P	SA-97P	SA-127P	SA-187P
Performance		Cooling				
Capacity	KW	1.6	2.0	2.6	3.5	5.0
	kJ/h	5900	7400	9300	12600	18500
	HP	0.5	0.75	1.0	1.5	2.0
Power Input	W	540	720	930	1330	1800
EER	kJ(w-h)	10.9	10.3	10.0	9.5	10.3
Running Content	A	2.6	3.3	4.2	5.9	8.2
Sound Level (Indoor) H/Low	dB	54/50	48/45	49/43	50/46	52/47
Sound Level (Outdoor) H/Low	dB	62/58	56/52	56/52	58/54	59/53
Maximum Ampere	A	3.3	3.3	3.3	3.3	3.3
Use Time Delay Fuse	A	6	10	10	10	15
R22 Charge	kg	0.26	0.5	0.64	0.72	0.79
Dimension (WxDxH)	mm	408 x 385 x 303	450 x 580 x 350	450 x 580 x 350	560 x 600 x 375	660 x 705 x 428
Net Weight	kg	18.5	35	36	48	60
Suggested Room Size (Bedroom)	sq.m.	7-12	12-14	14-18	18-26	26-36
		Features				
Controls/Temperature Control		Mechanical Controls		Microprocessor Controls with Remote Control		
Compressor		Rotary Compressor				
Fan Speed		3 Fan Speed				
Air Detaction	Horizontal	Manual		Auto Horizontal Air Deflection		
	Vertical	Manual		Vertical Air Deflection by Manual		
Air Filter		Washable Air Filter				
Timer		-		24-Hour ON or OFF Timer		

*Test condition in accordance to PNS 240:1998/150 5151:1994 Amd. 01:1998

Notes: Design, specifications, models and images are subject to change without prior notice for product improvement.




AQUA
JAPAN

Type		Touch Panel	
Model No.		AQ-RV97BP	AQ-RV127BP
Performance		Cooling	
Capacity	W	2680 (767-2935)	3697 (890-3920)
	kJ/h	9640 (2760-10560)	13300 (3200-14100)
Power Input	W	810 (260-940)	1100 (300-1160)
EER	kJ(w-h)	11.90	12.10
Running Current	A	3.80	4.90
Pressure	Hi/Low	Mpa	4.3 x 2.5
Sound Level (Indoor)	Hi/Low	dB	50 / 46
Sound Level (Outdoor)	Hi/Low	dB	60 / 56
Maximum Ampere	A	6	7
Use Time Delay Fuse	A	16	16
R32 Charge	kg	0.55	0.63
Dimension (WxHxD)	mm	560 x 375 x 708	660 x 428 x 700
Net Weight	kg	43	50
Features			
Controls/Temperature Control		Mechanical / Thermostat	
Compressor		Rotary Compressor	
Fan Speed		3 Fan Speed	
Air Detaction	Horizontal	Auto	
	Vertical	Manual	
Air Filter		Washable	
Timer		24-Hour ON or OFF Timer	

Notes: Design, specifications, models and images are subject to change without prior notice for product improvement.

Split-Type Air-conditioners

SANYO
Cool Beauty inverter



Model No.	Indoor Unit	SAP-KRV9BP	SAP-KRV12BP	SAP-KRV18BP	SAP-KRV22BP
	Outdoor Unit	SAP-CRV9BP	SAP-CRV12BP	SAP-CRV18BP	SAP-CRV22BP
Performance	Cooling				
Capacity	kW	2.65	3.53	5.30	6.45
	kJ/h	9540	12710	19080	23220
	HP	1.0	1.5	2.0	2.5
Power Input	W	800	1100	1700	2000
EER/C.O.P.	kJ(w-h)/ W/W	11.9/3.31	11.5/3.2	11.2/3.121	11.6/3.23
Running Content	A	4.10	5.60	7.70	9.10
Power Supply	V,ph,Hz	230V Single Phase 60Hz			
Indoor Unit Specification					
Air Circulation	Hi m²/h	520	560	680	800
Moisture Removal	Hi Liters/h	1.6	2.0	3.0	3.4
Sound Pressure Level	(L/M/H/T) dB (A)	29/32/36/40	29/32/37/42	31/36/40/46	31/36/40/46
Dimension	(HxWxD)mm	283x770x201	283x770x201	305x865x215	319x1008x221
Net Weight	kg	8.0	9.0	12.0	15.0
Outdoor Unit Specification					
Sound Pressure Level	dB (A)	50	52	55	55
Dimension	(HxWxD)mm	550x710x318	550x710x318	708x955x396	700x955x396
Net Weight	kg	27.0	29.0	46.0	51.0
Installation Data					
Pipe Diameter	Narrow mm (in)	6.35 (1/4)			
	Wide mm (in)	9.52 (3/4)	9.52 (3/8)	12.7 (1/2)	12.7 (1/2)
Maximum piping length	m	15	15	25	25
Maximum elevation difference	m	5	5	10	10
Chargeless piping length	m	5	5	5	5
Amount of additional refrigerant	g/m	15	15	15	15
Recommended fuse/ circuit breaker capacity	A	15	15	20	20
Pipe thickness	mm	0.8	0.8	0.8	0.8

*Measurement conforms to JICS 9612 standards.

Notes: Design, specifications, models and images are subject to change without prior notice for product improvement.



Haier washing machines are designed and engineered with your lifestyle in mind using the most innovative technology to keep it ergonomic and energy-efficient.



Top Load Washing Machines



ASW-180Q

- 8 kg Washing Capacity
- 8 kg Spin-Dry Capacity
- 6 Wash Program
- Neuro & Fuzzy Function
- Soak Function
- Water Level Option
- Child Lock



HWM70-P1101

- 7 kg Washing Capacity
- 8 Water Levels Choice
- 8 Washing Program
- Magic Lint Filter
- Double pole stainless steel inner tub
- Storm Wash
- Plastic Top
- Tub Dry
- LED Display
- Time Delay



HWM60-P1201 / HWM70-P1201 HWM80-P1201 / HWM100-P1201

- 6 kg / 7 kg / 8 kg / 10 kg Washing Capacity
- 10 Water Levels Choice
- 8 Washing Program
- New Disc Type Pulsator
- Magic Lint Filter
- Double pole stainless steel inner tub
- Storm Wash
- Glass Top
- Tub Dry
- LED Display
- Time Delay

Front Load Washing Machines



HW80-BD1626

- Express 15"
- Smart Drive Motor (SD Motor)
- Smart Dosing
- Smart Detecting
- Smart Dual Spray
- ABT
- Memo Function
- Delicate Wash



HW70-1079 HW60-1079

- Express 15"
- ABT
- SmartWash
- Intense Wash
- Delicate Wash
- End Delay
- LED Display
- Extra Rinse



Single Tub Washing Machines



HW-60STS / HW-85STS

- 6 kg / 7.5 kg Washing Capacity
- Normal/Gentle/Drain Program
- Plastic Body (Rust-Proof)
- Powerful Wash
- Fixable Cover
- Rat-Proof
- Soak Master
- Big Capacity
- Lint Filter



HW-800XT / HW-900XT

- 6 kg / 7 kg Washing Capacity
- 4 kg Spin-Dry Capacity
- Soak Master
- Circle knob design for retro look
- Wash selector: Normal/Gentle
- Drain, spin dry shower function

HW-740XT

- 5 kg Washing Capacity
- 4 kg Spin-Dry Capacity
- Soak Master
- Big Capacity
- Powerful Wash
- Transparent Lid
- 2 water inlets
- Spin Tub Safety
- Big Pulsator
- Lint Filter
- Plastic Body



HW-930XT

- 8 kg Washing Capacity
- 5.6 kg Spin-Dry Capacity
- Soak Master
- Wash Selector: Normal/Strong
- Cycle Selector: Wash/Rinse & Drain



HW-1030XT

- 10 kg Washing Capacity
- 6.5 kg Spin-Dry Capacity
- Soak Master
- Wash Selector: Normal/Strong
- Cycle Selector: Wash/Rinse & Drain



HWM50-P187 HWM70-P187 HWM85-P187

- 5 kg / 7 kg / 8.5 kg Washing Capacity
- 6 kg Spin-Dry Capacity
- Screw Type Pulsator
- Wash Selector: Normal/Gentle
- Drain, spin dry shower function
- Wheel Design



HWM90-P1187 HWM120-P1187

- 9 kg / 12 kg Washing Capacity
- 6 kg Spin-Dry Capacity
- Shower Rinse
- Wash selector: Normal/Gentle
- Drain, spin dry shower function
- Wheel Design





HKT-208F 1.5L

- 360° Rotation cordless, for ease of use
- External water level indicator
- Indicator light
- Safety locking lid
- Automatic/Manual switch off
- Boil-dry protection
- With concealed heating element
- Cool touch kettle



HKT-615FB 1.7L

- 360° Rotation cordless, for ease of use
- External water level indicator
- Indicator light
- Safety locking lid
- Automatic/Manual switch off
- Boil-dry protection
- With concealed heating element
- Cool touch kettle



HKT-610FW 1.7L

- 360° Rotation cordless, for ease of use
- External water level indicator
- Indicator light
- Safety locking lid
- Automatic/Manual switch off
- Boil-dry protection
- With concealed heating element
- Cool touch kettle



HIC-C20A13 1,500W

- Push button control with crystal glass plate
- Multi-function with different cooking method
- High quality crystal plate, not easily deformed or broken under heat-shock
- 3 hours timer with digital display
- Easy operation
- Plate size: 250 x 250 mm



HIC-C20D14 1,600W

- Sensor Touch control with intact plate
- Multi-function with different cooking method
- High quality ceramic plate, not easily deformed or broken under heat-shock
- 3 hours timer with digital display
- Voltage and power consumption reminder



HIC-C21G1 2,100W

- Sensor Touch control with crystal plate
- Multi-function with different cooking method
- High quality ceramic plate, not easily deformed or broken under heat-shock
- 3 hours timer with digital display
- Voltage and power consumption reminder



TCCK100A

- 1 Gas Burner [Φ100]
- Painted Panel
- Golden Plated Beehive Burner
- Enameled Pan Support



HCCK220EGS

- 2 Gas Burners [Φ80 and Φ100]
- Stainless Steel Panel
- Enameled Pan Support



HCCK220AGG

- 2 Gas Burners [Φ76 and Φ90]
- 6mm Black Glass Top Panel
- Rotating Fire Cast Iron Burner
- Enameled Pan Support



HCCK230AGG

- 3 Gas Burners [Φ120, Φ50 and Φ120]
- Built-in Type
- 8mm Black Glass Top Panel
- Sabaf Burners
- Enameled Pan Support



HFS-504G60GO

- 50cm width
- 4 Gas Burners
- 60L Gas Oven
- Button Ignition
- Top Glass Lid



HFS-503G1E60GO

- 50cm width
- 3 Gas Burners + 1 Electric Plate
- 60L Gas Oven
- Button Ignition
- Top Glass Lid



HFS-905G109EO

- 90cm width
- 5 Gas Burners
- 60L Gas Oven and 49L Electric Oven
- Button Ignition
- Top Glass Lid
- Flame Failure Device for Burner



HFS-604I60EO

- 60cm width
- 4 Induction Hobs
- 60L Electric Oven
- Top Glass Lid



Haier Care Branches

Haier Care Hotlines

- Metro Manila: (02) 883-9999
- Globe: 1-800-8-9999999
- PLDT/SMART/Talk & Text: 1-800-10-9999999

HPI Customer Service (Balintawak)

Mobile: (0925) 8018492

HPI Customer Service (San Fernando)

CER-HIL Subd., MacArthur Highway, San Fernando City
Tel/Fax: (045) 8604252 ; Mobile: (0925) 8018504 / (0917) 5683873

HPI Customer Service (Naga)

Mobile: (0925) 8018506

HPI Customer Service (Cebu)

Tel/Fax: (032) 2389637 ; Mobile: (0932) 8603355 / (0917) 5683949

HPI Customer Service (Iloilo)

D'Appliance Arcade, South Fundidor Molo, Iloilo City
Tel: (033) 3368698 ; Tel/Fax: (033) 3371313
Mobile: (0925) 8018483 / (0917) 5683619

HPI Customer Service (Davao)

Star Pacific Plaza, Ground Flr.,
Lot 3, Blk 18, Buhangin Rd., Davao City
Tel/Fax: (082) 3006586 ; Tel/Fax: (082) 3008381
Mobile: (0925) 8018487 / (0917) 5683781

HPI Customer Service (Cagayan de Oro)

Mobile: (0925) 8018485 / (0917) 5683722

HPI Customer Service (Dagupan)

Mobile: (0925) 8018490

HPI Customer Service (Taclaban)

Mobile: (0925) 8018491

Vis-Min Regional Office

Unit 903, 9th Floor, Keppel Center,
Samar Loop cor. Cardinal Rosales Ave.,
Cebu Business Park, Cebu City

This 2016, we at Haier continue our commitment to bring more enjoyable moments for your family and friends.

Business Card



Haier



Haier Philippines



@haierphilippines



www.haier.com/ph